

# **VELIS EVO**

WALL HUNG ELECTRIC STORAGE WATER HEATER

HOT WATER | HEATING | RENEWABLES ariston.com

## **VELIS EVO** FEATURES AND BENEFITS



Velis Evo is the perfect blend of comfort and design. Revolutionary in electric storage water heating, the Velis Evo is shower ready in less than 30 minutes.\*

- / Ultra slim twin tank design
- / "Eco Evo" function
- / Wi-Fi compatible for smartphone control\*
- / Best in class ErP rating
- / Anti-legionella and ABS safety system
- / Shower ready alerts on screen\*\* and in-app\*
- / Fast re-heat times, shower ready in less than 30 minutes\*
- / Premium italian design
- / Available in 45 and 80 litre models

PLUS

TITANIUM

PLUS

[**(**] ]

ARISTO NET

FL AT

ENERGY

SAVING

**AQUA ARISTON NET** 

Velis Evo Wi-Fi is compatible with the Aqua Ariston Net app, allowing **full control** 

and monitoring from the palm of your

hand. Shuffle through modes and turn

the unit on remotely for a hot shower at

the perfect time. With Agua Ariston Net

you can monitor energy consumption and

achieve savings of up to 25% using daily

SHOWER

READY

/ Must be installed with supplied unvented kit

\* Velis Evo Wi-Fi only \* Velis Evo onlv

ABS

SAFETY PACKAGE









ΙΤΔΙΙΔΝ

DESIGN

**VELIS EVO** ELECTRIC STORAGE WATER HEATER



## **KEY FEATURES:**

## **TWIN TANK TECHNOLOGY**

Get up to **16% more hot water** with all models in the Velis Evo range, which boasts an innovative, high quality titanium enamelled twin tank structure for added durability. Reduced stratification with the unique twin tank technology, providing extra hot water and a hot shower in less than 30 minutes.\*



The innovative **ECO EVO** function memorises user habits to deliver hot water while saving up to 14% on energy bills. The product operates in compliance with top standards on energy efficiency within the electric water heating category.






and weekly programming.

With its proprietary titanium tank engineering, the Velis Evo boasts

Anti-Overheating, Anti-Freezing and Dry Heating Self-Diagnosis, which protect the unit in case of

## SMART BLUE TECH

## **PRODUCT DIMENSIONS**



VELIS 45	
<b>A</b> = 776mm	<b>B</b> = 405mm

## **VELIS 80**

**A** = 1251mm **B** = 880mm

## LEGEND

E Cold water inlet G 1/2"

U Hot water outlet G 1/2"

Technical Data	VELIS EVO		VELIS EVO WI-FI	
Installation	Vertical	Vertical	Vertical	Vertical
Actual Capacity (L)		80		80
Power (kW)	1.5/1.5	1.5/1.5	3/3	3/3
Body Colour			Brushed Metal	Brushed Metal
Voltage (V)	220-240	220-240	230-240	230-240
Frequency (Hz)	50/60	50/60	50/60	50/60
V40 (I)	77		77	
IP Protection	IPX4	IPX4	IPX4	IPX4
Max Working Temp (°C)				
ErP Rating				
Tapping Profile	М	М	М	М
Warranty	5 years	5 years	5 years	5 years
Aqua Ariston Net Compatibility	No	No		
Heating Times (ΔT=45°C)		1h 52m	29m	
Standing Losses [kWh/24h] @65°C	0.96	1.32	0.96	1.32
PRODUCT CODES (including unvented kits)	3626305	3626306	3626307	3626308

## SLIM, SMART AND SUPER FAST WATER HEATING

## HOT WATER | HEATING | RENEWABLES

Customer Service: customer.service.uk@aristonthermo.com | 0333 240 8777 Sales: salesoffice@aristonthermo.com | 0333 240 6666

## ariston.com

🕑 @AristonUK 🚺 /AristonUK 🛅 /AristonThermo 🔘 /AristonUK



